

Supplemental online content for:


## **Uptake of the 21-Gene Assay Among Women With Node-Positive, Hormone Receptor–Positive Breast Cancer**

Megan C. Roberts, PhD; Allison W. Kurian, MD, MSc; and Valentina I. Petkov, MD, MPH

*J Natl Compr Canc Netw* 2019;17(6):662–668

**eFigure 1:** Kernel Density Estimates of Recurrence Score by Number of Positive Lymph Nodes

**eAppendix 1:** Distribution of Oncotype DX Scores



**eFigure 1.** Kernel density estimates of recurrence score by number of positive lymph nodes (LNs).

<sup>a</sup>Kernel = epanechnikov; bandwidth = 1.3907.

<b>eAppendix 1. Distribution of Oncotype DX Scores</b>								
	<b>Overall (N=4,271)</b>	<b>1 LN (n=845)</b>	<b>2 LNs (n=300)</b>	<b>3 LNs (n=312)</b>	<b>≥4 LNs (n=85)</b>	<b>Low (n=2,345)</b>	<b>Intermediate (n=1,348)</b>	<b>High (n=242)</b>
Mean risk score (SD)	16.8 (8.3)	16.5 (8.1)	16.3 (7.9)	18.0 (9.1)	17.8 (9.4)	11.6 (4.1)	22.1 (3.4)	37.7 (7.1)

Abbreviation: LN, lymph node.